

COMMONWEALTH OF KENTUCKY
BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

APPLICATION OF KENTUCKY CGSA, INC.)	
FOR ISSUANCE OF A CERTIFICATE OF)	
PUBLIC CONVENIENCE AND NECESSITY)	
TO CONSTRUCT AN ADDITIONAL CELL)	
SITE IN LOUISVILLE, KENTUCKY FOR)	CASE NO. 96-562
THE PROVISION OF DOMESTIC PUBLIC)	
CELLULAR RADIO TELECOMMUNICATIONS)	
SERVICE TO THE PUBLIC IN JEFFERSON)	
COUNTY, KENTUCKY AND THE LOUISVILLE MSA)	

O R D E R

The Commission has received the attached letters from Harold E. Gray and Dorothy A. Bohannon regarding the proposed cellular telecommunications services facility to be located at 1839 Frankfort Avenue, Louisville, Jefferson County, Kentucky.

IT IS THEREFORE ORDERED that:

1. Kentucky CGSA, Inc. ("Kentucky CGSA") shall respond to Mr. Gray's and Ms. Bohannon's concerns by certified letter, within 10 days from the date of this Order.
2. Kentucky CGSA shall file a copy of the certified letter and dated receipt, within 7 days of the date of the receipt.

Done at Frankfort, Kentucky, this 11th day of December, 1996.

ATTEST:

PUBLIC SERVICE COMMISSION


Executive Director


For the Commission

case file

MCNAMARA & JONES

Attorneys at Law

P.O. Box 916

315 High Street (40601)

Frankfort, Kentucky 40602-0916

Sam G. McNamara

Charles E. Jones

Phone: 502/875-8808

Fax: 502/223-1043

RECEIVED

DEC 04 1996

PUBLIC SERVICE
COMMISSION

November 22, 1996

Re: Public Notice - Public Service Commission of KY
Case No. 96-562

Kentucky CGSA, Inc. has applied to the Public Service Commission of Kentucky for a Certificate of Public Convenience and Necessity to construct and operate a new facility to provide cellular radio telecommunication service. The facility will include a 120' monopole tower with twelve (12) antennas for a total height of 126' and an equipment shelter to be located at 1839 Frankfort Avenue, Louisville, Kentucky 40206. A map showing the location of the proposed new facility is enclosed. This notice is being sent to you because you own property or reside within a 500' radius of the proposed tower.

The Commission invites your comments regarding the proposed construction. You also have the right to intervene in this matter. Your initial communication to the Commission must be received by the Commission within twenty (20) days of the date of this letter as shown above.

Your comments and request for intervention should be addressed to: Executive Director's Office, Public Service Commission of Kentucky, Post Office Box 615, Frankfort, Kentucky 40602. Please refer to Case No. 96-562 in your correspondence.

Sincerely,

Sam G. McNamara

Sam G. McNamara

Attorney for Kentucky CGSA,
Inc.

SGM/j

Enclosure

*My concern is what effect
By putting this tower 500' from my
Property Radio interference: Television, Radio, etc.
Depreciation of my Property
Please consider The Questions Soon
Harold E. Gray 3461 Parkview Manor
It Lou Ky 40241*

RECEIVED

Case file

MCNAMARA & JONES

DEC 03 1996

Attorneys at Law

P.O. Box 916

315 High Street (40601)

Frankfort, Kentucky 40602-0916

PUBLIC SERVICE
COMMISSION

Phone: 502/875-8808

Fax: 502/223-1043

Sam G. McNamara
Charles E. Jones

November 22, 1996

Re: Public Notice - Public Service Commission of KY
Case No. 96-562

Kentucky CGSA, Inc. has applied to the Public Service Commission of Kentucky for a Certificate of Public Convenience and Necessity to construct and operate a new facility to provide cellular radio telecommunication service. The facility will include a 120' monopole tower with twelve (12) antennas for a total height of 126' and an equipment shelter to be located at 1839 Frankfort Avenue, Louisville, Kentucky 40206. A map showing the location of the proposed new facility is enclosed. This notice is being sent to you because you own property or reside within a 500' radius of the proposed tower.

The Commission invites your comments regarding the proposed construction. You also have the right to intervene in this matter. Your initial communication to the Commission must be received by the Commission within twenty (20) days of the date of this letter as shown above.

Your comments and request for intervention should be addressed to: Executive Director's Office, Public Service Commission of Kentucky, Post Office Box 615, Frankfort, Kentucky 40602. Please refer to Case No. 96-562 in your correspondence.

Sincerely,

Sam G. McNamara

Sam G. McNamara

Attorney for Kentucky CGSA,
Inc.Dorothy A. Bohannon
178 1/2 N. State St.
Louisville, KY 40206

SGM/j

Enclosure

Case # 96-562

I am totally against this project. I'm afraid it will interfere with my TV, cable and phone services, and will down-
grade my property. Dorothy A. Bohannon